

REFERENCES



- AIRS, Aerometric Information Retrieval System [database]. (1995) [PM₁₀ and PM_{2.5} data]. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- Altshuller, A. P. (1980) Seasonal and episodic trends in sulfate concentrations (1963-1978) in the eastern United States. *Environ. Sci. Technol.* 14: 1337-1349.
- Altshuller, A. P. (1982) Relationships involving particle mass and sulfur content at sites in and around St. Louis, Missouri. *Atmos. Environ.* 16: 837-843.
- Altshuller, A. P. (1985) Relationships involving fine particle mass, fine particle sulfur and ozone during episodic periods at sites in and around St. Louis, MO. *Atmos. Environ.* 19: 265-276.
- Altshuller, A. P. (1987) Relationships between direction of wind flow and fine particle sulfur concentrations within and upwind of St. Louis, MO. *Atmos. Environ.* 21: 1023-1032.
- Appel, B. R.; Colodny, P.; Wesolowski, J. J. (1976) Analysis of carbonaceous materials in southern California atmospheric aerosols. *Environ. Sci. Technol.* 10: 359-363.
- Appel, B. R.; Kothny, E. L.; Hoffer, E. M.; Hidy, G. M.; Wesolowski, J. J. (1978) Sulfate and nitrate data from the California Aerosol Characterization Experiment (ACHEX). *Environ. Sci. Technol.* 12: 418-425.
- Appel, B. R.; Hoffer, E. M.; Kothny, E. L.; Wall, S. M.; Haik, M.; Knights, R. L. (1979) Analysis of carbonaceous material in southern California atmospheric aerosols. 2. *Environ. Sci. Technol.* 13: 98-104.
- Ashbaugh, L. L.; Watson, J. G.; Chow, J. (1989) Estimating fluxes from California's dry deposition monitoring data. Presented at: 82nd annual meeting of the Air & Waste Management Association; June; Anaheim, CA. Pittsburgh, PA: Air & Waste Management Association; paper no. 89-65.3.
- Barone, J. B.; Cahill, T. A.; Eldred, R. A.; Flocchini, R. G.; Shadoan, D. J.; Dietz, T. M. (1978) A multivariate statistical analysis of visibility degradation at four California cities. *Atmos. Environ.* 12: 2213-2221.
- Barton, R. G.; Clark, W. D.; Seeker, W. R. (1990) In: Proceedings of the 1st international conference on toxic combustion byproducts.
- Bennett, R. L.; Stockburger, L.; Barnes, H. M. (1994) Comparison of sulfur measurements from a regional fine particle network with concurrent acid modes network results. *Atmos. Environ.* 28: 409-419.
- Berner, A.; Lürzer, C. (1980) Mass size distributions of traffic aerosols at Vienna. *J. Phys. Chem.* 84: 2079-2083.
- Brauer, M.; Koutrakis, P.; Spengler, J. D. (1989) Personal exposures to acidic aerosols and gases. *Environ. Sci. Technol.* 23: 1408-1412.
- Brauer, M.; Koutrakis, P.; Keeler, G. J.; Spengler, J. D. (1991) Indoor and outdoor concentrations of inorganic acidic aerosols and gases. *J. Air Waste Manage. Assoc.* 41: 171-181.
- Burton, R. M.; Liu, L. J. S.; Wilson, W. E.; Koutrakis, P. (1995) Comparison of aerosol acidity in urban and semi-rural environments. *Atmos. Environ.*: submitted.
- Cadle, S. H. (1985) Seasonal variations in nitric acid, nitrate, strong aerosol acidity, and ammonia in an urban area. *Atmos. Environ.* 19: 181-188.

- Cahill, T. A. (1979) Comments on surface coating for Lundgren-type impactors. In: Lundgren, D. A.; Lippmann, M.; Harris, F. S., Jr.; Clark, W. E.; Marlow, W. H.; Durham, M. D., eds. *Aerosol measurement: [papers from a workshop]*; March 1976; Gainesville, FL. Gainesville, FL: University Presses of Florida; pp. 131-134.
- Cahill, T. A. (1980) Proton microprobes and particle-induced X-ray analytical systems. *Annu. Rev. Nucl. Part. Sci.* 30: 211-252.
- Cahill, T. A. (1996) [Data from IMPROVE data base.] Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- Cahill, T. A.; Wakabayashi, P. (1993) Compositional analysis of size-segregated aerosol samples. In: Newman, L., ed. *Measurement challenges in atmospheric chemistry*. Washington, DC: American Chemical Society; pp. 211-228. (Advances in chemistry series no. 232).
- Cahill, T. A.; Goodart, C.; Nelson, J. W.; Eldred, R. A.; Nasstrom, J. S.; Feeney, P. J. (1985) Design and evaluation of the drum impactor. In: Ariman, T.; Veziroglu, T. N., eds. *Proceedings of the international symposium on particulate and multi-phase processes*. Washington, DC: Hemisphere Publishing Corporation; pp. 319-325.
- Cahill, T. A.; Feeney, P. J.; Eldred, R. A. (1987) Size-time composition profile of aerosols using the drum sampler. In: *Proceedings of the 4th international PIXE conference*; June 1986; Tallahassee, FL. *Nucl. Instrum. Methods Phys. Res. B22:* 344-348.
- Cahill, T. A.; Surovik, M.; Wittmeyer, I. (1990) Visibility and aerosols during the 1986 Carbonaceous Species Methods Comparison Study. *Aerosol Sci. Technol.* 12: 149-160.
- Cahill, T. A.; Wakabayashi, P.; Raabe, O.; Teague, S. (1992a) A new inertial impactor for visibility-reducing aerosols. Presented at: 85th annual meeting and exhibition of the Air & Waste Management Association; June; Kansas City, MO. Pittsburgh, PA: Air & Waste Management Association; paper no. 92-60.08.
- Cahill, T. A.; Wilkinson, K.; Schnell, R. (1992b) Composition analyses of size-resolved aerosol samples taken from aircraft downwind of Kuwait, spring 1991. *J. Geophys. Res. [Atmos.]* 97: 14,513-14,520.
- Cahill, T. A.; Morales, R.; Miranda, J. (1996a) Comparative aerosol studies of Pacific rim cities—Santiago, Chile (1987); Mexico City, Mexico (1987-1990); and Los Angeles, U.S.A. (1973 and 1987). *Atmos. Environ.* 30: 747-749.
- Cahill, T. A.; Eldred, R. A.; Wakabayashi, P. H. (1996b) Trends in fine particle concentrations at Great Smoky Mountains National Park. For presentation at: Annual meeting of the Air & Waste Management Association; June; Nashville, TN. Pittsburgh, PA: Air & Waste Management Association; submitted paper no. 96-MP1A.05.
- California Air Resources Board. (1995) [Data base provided by John R. Holmes, Chief, Research Division.] Sacramento, CA: California Air Resources Board.
- Cass, G. R.; McRae, G. J. (1983) Source-receptor reconciliation of routine air monitoring data for trace metals: an emission inventory assisted approach. *Environ. Sci. Technol.* 17: 129-139.
- Cass, G. R.; Conklin, M. H.; Shah, J. J.; Huntzicker, J. J.; Macias, E. S. (1984) Elemental carbon concentrations: estimation of an historical data base. *Atmos. Environ.* 18: 153-162.
- Chesworth, S.; Yang, G.; Chang, D. P. Y.; Jones, A. D.; Kelly, P. B.; Kennedy, I. M. (1994) The fate of arsenic in a laminar diffusion flame. *Combust. Flame* 98: 259-266.
- Chow, J. C.; Watson, J. G.; Frazier, C. A.; Egami, R. T.; Goodrich, A.; Ralph, C. (1988) Spatial and temporal source contributions to PM₁₀ and PM_{2.5} in Reno, NV. In: Mathai, C. V.; Stonefield, D. H., eds. *PM-10:*

implementation of standards, an APCA/EPA international specialty conference; February; San Francisco, CA. Pittsburgh, PA: Air Pollution Control Association; pp. 438-457. (APCA transactions series TR-13).

Chow, J. C.; Watson, J. G.; Pritchett, L.; Lowenthal, D.; Frazier, C.; Neuroth, G.; Evans, K.; Moon, D. (1990) Wintertime visibility in Phoenix, Arizona. Presented at: the 83rd annual meeting & exhibition; June; Pittsburgh, PA. Pittsburgh, PA: Air & Waste Management Association; paper no. 90-66.6.

Chow, J. C.; Watson, J. G.; Lowenthal, D. H.; Frazier, C. A.; Hinsvark, B. A.; Pritchett, L. C.; Neuroth, G. R. (1992a) Wintertime PM₁₀ and PM_{2.5} chemical compositions and source contributions in Tucson, Arizona. In: Chow, J. C.; Ono, D. M., eds. PM₁₀ standards and nontraditional particulate source controls, an A&WMA/EPA international specialty conference, v. I; January; Scottsdale, AZ. Pittsburgh, PA: Air & Waste Management Association; pp. 231-243. (A&WMA transactions series no. 22).

Chow, J. C.; Watson, J. G.; Lowenthal, D. H.; Solomon, P. A.; Magliano, K. L.; Ziman, S. D.; Richards, L. W. (1992b) PM10 source apportionment in California's San Joaquin Valley. *Atmos. Environ. Part A* 26: 3335-3354.

Chow, J. C.; Liu, C. S.; Cassmassi, J.; Watson, J. G.; Lu, Z.; Pritchett, L. C. (1992c) A neighborhood-scale study of PM₁₀ source contributions in Rubidoux, California. *Atmos. Environ. Part A* 26: 693-706.

Chow, J. C.; Watson, J. G.; Lowenthal, D. H.; Solomon, P. A.; Magliano, K. L.; Ziman, S. D.; Richards, L. W. (1993a) PM₁₀ and PM_{2.5} compositions in California's San Joaquin Valley. *Aerosol Sci. Technol.* 18: 105-128.

Chow, J. C.; Watson, J. G.; Ono, D. M.; Mathai, C. V. (1993b) PM₁₀ standards and nontraditional particulate source controls: a summary of the A&WMA/EPA international specialty conference. *J. Air Waste Manage. Assoc.* 43: 74-84.

Chow, J. C.; Watson, J. G.; Fujita, E. M.; Lu, Z.; Lawson, D. R.; Ashbaugh, L. L. (1994a) Temporal and spatial variations of PM_{2.5} and PM₁₀ aerosol in the Southern California Air Quality Study. *Atmos. Environ.* 28: 2061-2080.

Chow, J. C.; Watson, J. G.; Solomon, P. A.; Thuillier, R. H.; Magliano, K. L.; Ziman, S. D.; Blumenthal, D. L.; Richards, L. W. (1994b) Planning for SJVAQS/AUSPEX particulate matter and visibility sampling and analysis. In: Solomon, P. A.; Silver, T. A., eds. Planning and managing regional air quality: modeling and measurement studies: a perspective through the San Joaquin Valley air quality study and AUSPEX. Boca Raton, FL: Lewis Publishers; pp. 171-216.

Chow, J. C.; Fairley, D.; Watson, J. G.; DeMandel, R.; Fujita, E. M.; Lowenthal, D. H.; Lu, Z.; Frazier, C. A.; Long, G.; Cordova, J. (1995a) Source apportionment of wintertime PM₁₀ at San Jose, Calif. *J. Environ. Eng. (NY)* 121: 378-387.

Chow, J. C.; Watson, J. G.; Lu, Z.; Lowenthal, D. H.; Frazier, C. A.; Solomon, P. A.; Thuiller, R. H.; Magliano, K. (1995b) Descriptive analysis of PM_{2.5} and PM₁₀ regionally representative locations during SJVAQS/AUSPEX. *Atmos. Environ.: in press.*

Cobourn, W. G.; Husar, R. B. (1982) Diurnal and seasonal patterns of particulate sulfur and sulfuric acid in St. Louis, July 1977-June 1978. *Atmos. Environ.* 16: 1441-1450.

Conner, T. L.; Miller, J. L.; Willis, R. D.; Kellogg, R. B.; Dann, T. F. (1993) Source apportionment of fine and coarse particles in southern Ontario, Canada. Presented at: 86th annual meeting & exhibition of the Air & Waste Management Association; June; Denver, CO. Pittsburgh, PA: Air & Waste Management Association; paper no. 93-TP-58.05.

Countess, R. J.; Wolff, G. T.; Cadle, S. H. (1980) The Denver winter aerosol: a comprehensive chemical characterization. *J. Air Pollut. Control Assoc.* 30: 1194-1200.

- Countess, R. J.; Cadle, S. H.; Groblicki, P. J.; Wolff, G. T. (1981) Chemical analysis of size-segregated samples of Denver's ambient particulate. *J. Air Pollut. Control Assoc.* 31: 247-252.
- Davis, B. L.; Johnson, L. R.; Stevens, R. K.; Courtney, W. J.; Safriet, D. W. (1984) The quartz content and elemental composition of aerosols from selected sites of the EPA inhalable particulate network. *Atmos. Environ.* 18: 771-782.
- Davison, R. L.; Natusch, D. F. S.; Wallace, J. R.; Evans, C. A., Jr. (1974) Trace elements in fly ash: dependence of concentration on particle size. *Environ. Sci. Technol.* 8: 1107-1113.
- Desaedeleer, G. G.; Winchester, J. W.; Akselsson, K. R. (1977) Monitoring aerosol elemental composition in particle size fractions for predicting human respiratory uptake. *Nucl. Instrum. Methods* 142: 97-99.
- Desert Research Institute. (1995) [Unpublished data]. Reno, NV: Energy and Environmental Engineering Center.
- Dockery, D. W.; Schwartz, J.; Spengler, J. D. (1992) Air pollution and daily mortality: associations with particulates and acid aerosols. *Environ. Res.* 59: 362-373.
- Dockery, D. W.; Pope, C. A., III; Xu, X.; Spengler, J. D.; Ware, J. H.; Fay, M. E.; Ferris, B. G., Jr.; Speizer, F. E. (1993) An association between air pollution and mortality in six U.S. cities. *N. Engl. J. Med.* 329: 1753-1759.
- Dresser, A. L. (1988) A dispersion and receptor model analysis of a western community's PM-10 problem. *JAPCA* 38: 1419-1421.
- Dzubay, T. G. (1980) Chemical element balance method applied to dichotomous sampler data. *Ann. N. Y. Acad. Sci.* 338: 126-144.
- Dzubay, T. G.; Stevens, R. K.; Lewis, C. W.; Hern, D. H.; Courtney, W. J.; Tesch, J. W.; Mason, M. A. (1982) Visibility and aerosol composition in Houston, Texas. *Environ. Sci. Technol.* 16: 514-525.
- Dzubay, T. G.; Stevens, R. K.; Gordon, G. E.; Olmez, I.; Sheffield, A. E.; Courtney, W. J. (1988) A composite receptor method applied to Philadelphia aerosol. *Environ. Sci. Technol.* 22: 46-52.
- Eldering, A.; Cass, G. R. (1994) A source-oriented model for air pollutant effects on visibility. *J. Geophys. Res. [Atmos.]*: submitted.
- Eldred, R. A.; Cahill, T. A. (1994) Trends in elemental concentrations of fine particles at remote sites in the United States of America. *Atmos. Environ.* 28: 1009-1019.
- Eldred, R. A.; Ashbaugh, L. L.; Cahill, T. A.; Flocchini, R. G.; Pitchford, M. L. (1983) Sulfate levels in the southwest during the 1980 copper smelter strike. *J. Air Pollut. Control Assoc.* 33: 110-113.

- Eldred, R. A.; Cahill, T. A.; Feeney, P. J.; Malm, W. C. (1987) Regional patterns in particulate matter from the National Park Service network, June 1982 to May 1986. In: Bhardwaja, P. S., ed. Visibility protection: research and policy aspects, an APCA international specialty conference; September 1986; Grand Teton National Park, WY. Pittsburgh, PA: Air Pollution Control Association; pp. 386-396. (APCA transactions series no. TR-10).
- Eldred, R. A.; Cahill, T. A.; Pitchford, M.; Malm, W. C. (1988) IMPROVE--a new remote area particulate monitoring system for visibility studies. Presented at: 81st annual meeting of the Air Pollution Control Association; June; Dallas, TX. Pittsburgh, PA: Air Pollution Control Association; paper no. 88-54.3.
- Eldred, R. A.; Cahill, T. A.; Wilkinson, L. K.; Feeney, P. J.; Chow, J. C.; Malm, W. C. (1990) Measurement of fine particles and their chemical components in the IMPROVE/NPS networks. In: Mathai, C. V., ed. Visibility and fine particles: an A&WMA/EPA international specialty conference; October 1989; Estes Park, CO. Pittsburgh, PA: Air & Waste Management Association; pp. 187-196. (A&WMA transactions series no. TR-17).
- Eldred, R. A.; Cahill, T. A.; Feeney, P. J. (1994a) Regional patterns of selenium and other trace elements in the IMPROVE network. In: Proceedings of the international specialty conference on aerosol and atmospheric optics: radiative balance and visual air quality, volume A. Pittsburgh, PA: Air and Waste Management Association.
- Eldred, R. A.; Cahill, T. A.; Flocchini, R. G. (1994b) Comparison of PM₁₀ and PM_{2.5} aerosols in the IMPROVE network. In: Proceedings of an international specialty conference on aerosol and atmospheric optics: radiative balance and visual air quality, volume A. Pittsburgh, PA: Air and Waste Management Association. Air Waste: submitted.
- Ellenson, W. D.; Schwab, M.; Egler, K. A.; Shadwick, D.; Willis, R. D. (1994) Draft technical report for the pilot project of lower Rio Grande valley environmental study. ManTech Environmental Technology. Submitted to U.S. EPA.
- Fairley, D. (1990) The relationship of daily mortality to suspended particulates in Santa Clara county, 1980-86. Environ. Health Perspect. 89: 159-168.
- Federal Register. (1986) Hazardous waste management system; land disposal restrictions. F. R. (November 7) 51: 40572-40654.
- Fekete, K. E.; Gyenes, L. (1993) Regional scale transport model for ammonia and ammonium. Atmos. Environ. Part A 27: 1099-1104.
- Ferman, M. A.; Wolff, G. T.; Kelly, N. A. (1981) The nature and sources of haze in the Shenandoah Valley/Blue Ridge Mountains area. J. Air Pollut. Control Assoc. 31: 1074-1082.
- Flocchini, R. G.; Cahill, T. A.; Shadoan, D. J.; Lange, S. J.; Eldred, R. A.; Feeney, P. J.; Wolfe, G. W.; Simmeroth, D. C.; Suder, J. K. (1976) Monitoring California's aerosols by size and elemental composition. Environ. Sci. Technol. 10: 76-82.
- Flocchini, R. G.; Cahill, T. A.; Eldred, R. A.; Feeney, P. J. (1990) Particulate sampling in the northeast: a description of the Northeast States for Coordinated Air Use Management (NESCAUM) network. In: Mathai, C. V., ed. Visibility and fine particles: an A&WMA/EPA international specialty conference; October 1989; Estes Park, CO. Pittsburgh, PA: Air & Waste Management Association; pp. 197-206. (A&WMA transactions series no. TR-17).
- Frazier, C. A. (1989) Letter [report on mass and chemical concentrations and b_{abs} measurements for Phoenix pilot study samples]. Reno, NV: Desert Research Institute, Energy and Environmental Engineering Center.

- Friedlander, S. K. (1977) Smoke, dust and haze: fundamentals of aerosol behavior. New York, NY: John Wiley & Sons.
- Gray, H. A.; Cass, G. R.; Huntzicker, J. J.; Heyerdahl, E. K.; Rau, J. A. (1984) Elemental and organic carbon particle concentrations: a long-term perspective. *Sci. Total Environ.* 36: 17-25.
- Gray, H. A.; Cass, G. R.; Huntzicker, J. J.; Heyerdahl, E. K.; Rau, J. A. (1986) Characteristics of atmospheric organic and elemental carbon particle concentrations in Los Angeles. *Environ. Sci. Technol.* 20: 580-589.
- Griffing, G. W. (1980) Relations between the prevailing visibility, nephelometer scattering coefficient and sunphotometer turbidity coefficient. *Atmos. Environ.* 14: 577-584.
- Groblicki, P. J.; Wolff, G. T.; Countess, R. J. (1981) Visibility-reducing species in the Denver "brown cloud" - I. relationships between extinction and chemical composition. In: White, W. H.; Moore, D. J.; Lodge, J. P., Jr., eds. *Plumes and visibility: measurements and model components, proceedings of the symposium*; November 1980; Grand Canyon National Park, AZ. *Atmos. Environ.* 15: 2473-2484.
- Hasan, H.; Dzubay, T. G. (1987) Size distributions of species in fine particles in Denver using a microorifice impactor. *Aerosol Sci. Technol.* 6: 29-39.
- Hering, S. V.; Friedlander, S. K. (1982) Origins of aerosol sulfur size distributions in the Los Angeles basin. *Atmos. Environ.* 16: 2647-2656.
- Hering, S. V.; McMurry, P. H. (1991) Optical counter response to monodisperse atmospheric aerosols. *Atmos. Environ. Part A* 25: 463-468.
- Hering, S. V.; Flagan, R. C.; Friedlander, S. K. (1978) Design and evaluation of new low-pressure impactor. I. *Environ. Sci. Technol.* 12: 667-673.
- Hering, S. V.; Appel, B. R.; Cheng, W.; Salaymeh, F.; Cadle, S. H.; Mulawa, P. A.; Cahill, T. A.; Eldred, R. A.; Surovik, M.; Fitz, D.; Howes, J. E.; Knapp, K. T.; Stockburger, L.; Turpin, B. J.; Huntzicker, J. J.; Zhang, X.-Q.; McMurry, P. H. (1990) Comparison of sampling methods for carbonaceous aerosols in ambient air. *Aerosol Sci. Technol.* 12: 200-213.
- Hering, S.; Eldering, A.; Seinfeld, J. H. (1996) Bimodal character of accumulation mode aerosols in southern California. *Atmos. Environ.*: submitted.
- Hidy, G. M.; Mueller, P. K.; Grosjean, D.; Appel, B. R.; Wesolowski, J. J., eds. (1980) *The character and origins of smog aerosols: a digest of results from the California Aerosol Characterization Experiment (ACHEX)*. New York, NY: John Wiley & Sons.
- Hildemann, L. M.; Markowski, G. R.; Cass, G. R. (1991) Chemical composition of emissions from urban sources of fine organic aerosol. *Environ. Sci. Technol.* 25: 744-759.
- Hoggan, M. C.; Banayan, S. C.; Sin, R. W.; Davidson, A. (1993) An analysis of PM₁₀ air quality in California's South Coast Air Basin, 1985-1992. In: *Criteria air pollutants: volume 3B, papers from the 86th annual meeting & exhibition of the Air & Waste Management Association*; June ; Denver, CO. Pittsburgh, PA: Air & Waste Management Association; paper no. 93-WA-75.04. (A&WMA publication no. AM93-3).

- Houck, J. E.; Rau, J. A.; Body, S.; Chow, J. C. (1992) Source apportionment: Pocatello, Idaho PM₁₀ nonattainment area. In: Chow, J. C.; Ono, D. M., eds. PM₁₀ standards and nontraditional particulate source controls, an A&WMA/EPA international specialty conference, v. I; January; Scottsdale, AZ. Pittsburgh, PA: Air & Waste Management Association; pp. 219-230. (A&WMA transactions series no. 22).
- Husar, R. B.; Frank, N. H. (1991) Interactive exploration and analysis of EPA's Aerometric Information and Retrieval System (AIRS) data sets. Presented at: 84th annual meeting and exhibition of the Air & Waste Management Association; June; Vancouver, BC, Canada. Pittsburgh, PA: Air & Waste Management Association; paper no. 91-119.4.
- Husar, R. B.; Poirot, R. (1992) Exploration of the AIRS database: weekly cycle of ozone and PM 10 aerosols. Presented at: 85th annual meeting of the Air & Waste Management Association; June; Kansas City, MO. Pittsburgh, PA: Air & Waste Management Association; paper no. 92-77.06.
- Husar, R. B.; Wilson, W. E. (1993) Haze and sulfur emission trends in the eastern United States. Environ. Sci. Technol. 27: 12-16.
- Husar, R. B.; Holloway, J. M.; Patterson, D. E.; Wilson, W. E. (1981) Spatial and temporal pattern of eastern U.S. haziness: a summary. Atmos. Environ. 15: 1919-1928.
- Husar, R. B.; Elkins, J. B.; Wilson, W. E. (1994) U.S. visibility trends, 1960-1992, regional and national. Presented at: 87th annual meeting of the Air & Waste Management Association; June; Cincinnati, OH. Pittsburgh, PA: Air & Waste Management Association; paper no. 94-MP3.05.
- IPN. (1985) [Inhalable Particulate Network Database.] Research Triangle Park, NC: U.S. Environmental Protection Agency, National Exposure Research Laboratory; Jose M. Sune, contact.
- Jaenicke, R. (1980) Natural aerosols. In: Kneip, T. J.; Lioy, P. J., eds. Aerosols: anthropogenic and natural, sources and transport. Ann. N. Y. Acad. Sci. 338: 317-329.
- Japar, S. M.; Brachaczek, W. W.; Gorse, R. A., Jr.; Norbeck, J. M.; Pierson, W. R. (1986) The contribution of elemental carbon to the optical properties of rural atmospheric aerosols. Atmos. Environ. 20: 1281-1289.
- John, W.; Wall, S. M.; Ondo, J. L.; Winklmayr, W. (1989) Acidic aerosol size distributions during SCAQS. Sacramento, CA: California Air Resources Board; report no. CA/DOH/AIHL/SP-51.
- John, W.; Wall, S. M.; Ondo, J. L.; Winklmayr, W. (1990) Modes in the size distributions of atmospheric inorganic aerosol. Atmos. Environ. Part A 24: 2349-2359.
- Johnson, R. L.; Shah, J. J.; Cary, R. A.; Huntzicker, J. J. (1981) An automated thermal-optical method for the analysis of carbonaceous aerosol. In: Macias, E. S.; Hopke, P. K., eds. Atmospheric aerosol: source/air quality relationships; based on a symposium jointly sponsored by the Divisions of Nuclear Chemistry and Technology at the 180th national meeting of the American Chemical Society; August 1980; Las Vegas, NV. Washington, DC: American Chemical Society; pp. 223-233. (Comstock, M. J., ed. ACS symposium series: 167).
- Johnson, D. L.; Davis, B. L.; Dzubay, T. G.; Hasan, H.; Crutcher, E. R.; Courtney W. J.; Jaklevic, J. M.; Thompson, A. C.; Hopke, P. K. (1984) Chemical and physical analyses of Houston aerosol for interlaboratory comparison of source apportionment procedures. Atmos. Environ. 18: 1539-1553.

- Joseph, D. B.; Metsa, J.; Malm, W. C.; Pitchford, M. (1987) Plans for IMPROVE: a federal program to monitor visibility in class I areas. In: Bhardwaja, P. S., ed. Visibility protection: research and policy aspects, an APCA international specialty conference; September 1986; Grand Teton National Park, WY. Pittsburgh, PA: Air Pollution Control Association; pp. 113-125. (APCA transactions series no. TR-10).
- Kao, A. S.; Friedlander, S. K. (1994) Chemical signatures of the Los Angeles aerosol ($d_p < 3.5 \mu\text{m}$). *Aerosol Sci. Technol.* 21: 283-293.
- Kao, A. S.; Friedlander, S. K. (1995) Frequency distributions of PM₁₀ chemical components and their sources. *Environ. Sci. Technol.* 29: 19-28.
- Karch, R.; Kruisz, C.; Reischl, G. P.; Winklmayr, W. (1987) Continuous measurement of ultrafine particle size distributions in the range from 2 to 200 nm from the southern California air quality study, June-July 1987 [preliminary report]. Vienna, Austria: Institut fur Experimentalphysik der Universitat Wien.
- Keeler, G. J.; Brachaczek, W. W.; Gorse, R. A., Jr.; Japar, S. M.; Pierson, W. R. (1988) Effect of ambient humidity on dichotomous sampler coarse/fine ratios. *Atmos. Environ.* 22: 1715-1720.
- Keeler, G. J.; Japar, S. M.; Brachaczek, W. W.; Gorse, R. A., Jr.; Norbeck, J. M.; Pierson, W. R. (1990) The sources of aerosol elemental carbon at Allegheny Mountain. *Atmos. Environ. Part A* 24: 2795-2805.
- Keeler, G. J.; Spengler, J. D.; Castillo, R. A. (1991) Acid aerosol measurements at a suburban Connecticut site. *Atmos. Environ. Part A* 25: 681-690.
- Kelly, N. A.; Wolff, G. T.; Ferman, M. A. (1982) Background pollutant measurements in air masses affecting the eastern half of the United States - 1. air masses arriving from the northwest. *Atmos. Environ.* 16: 1077-1088.
- Kim, B. M.; Zeldin, M. D.; Liu, C. S. (1992) Source apportionment study for state implementation plan development in the Coachella Valley. In: Chow, J. C.; Ono, D. M., eds. PM10 standards and nontraditional particulate source controls, an A&WMA/EPA international specialty conference, v. II; January; Scottsdale, AZ. Pittsburgh, PA: Air & Waste Management Association; pp. 979-991. (A&WMA transactions series no. 22).
- Kleinman, M. T.; Pasternack, B. S.; Eisenbud, M.; Kneip, T. J. (1980) Identifying and estimating the relative importance of sources of airborne particulates. *Environ. Sci. Technol.* 14: 62-65.
- Koutrakis, P. (1995) [PM_{2.5} and PM₁₀ data for Philadelphia, 1992-1995]. Boston, MA: Harvard School of Public Health.
- Koutrakis, P.; Kelly, B. P. (1993) Equilibrium size of atmospheric aerosol sulfates as a function of particle acidity and ambient relative humidity. *J. Geophys. Res. [Atmos.]* 98: 7141-7147.
- Koutrakis, P.; Spengler, J. D. (1987) Source apportionment of ambient particles in Steubenville, OH using specific rotation factor analysis. *Atmos. Environ.* 21: 1511-1519.
- Kreidenweis, S. M. (1993) Towards development of a northern hemisphere natural sulfate aerosol budget. Presented at: 86th annual meeting of the Air & Waste Management Association; June; Denver, CO. Pittsburgh, PA: Air & Waste Management Association; paper no. 93-MP-4.08.
- Kreidenweis, S.; Brechtel, F. (1995) [Particle number and size-distribution database]. Fort Collins, CO: Colorado State University, Foothill Campus, Atmospheric Sciences Department.
- Lamborg, C.; Keeler, G. J.; Evans, G. (1992) Atmospheric acidity measurements during the Lake Michigan Urban Air Toxics Study. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory; EPA report no. EPA/600/A-92/250. Available from: NTIS, Springfield, VA; PB93-121069.

- Lawson, D. R. (1990) The Southern California Air Quality Study. *J. Air Waste Manage. Assoc.* 40: 156-165.
- Leaderer, B. P.; Bernstein, D. M.; Daisey, J. M.; Kleinman, M. T.; Kneip, T. J.; Knutson, E. O.; Lippmann, M.; Lioy, P. J.; Rahn, K. A.; Sinclair, D.; Tanner, R. L.; Wolff, G. T. (1978) Summary of the New York summer aerosol study (NYSAS). *J. Air Pollut. Control Assoc.* 28: 321-327.
- Leaderer, B. P.; Tanner, R. L.; Holford, T. R. (1982) Diurnal variations, chemical composition and relation to meteorological variables of the summer aerosol in the New York subregion. *Atmos. Environ.* 16: 2075-2087.
- Lee, H. S.; Wadden, R. A.; Scheff, P. A. (1993) Measurement and evaluation of acid air pollutants in Chicago using an annular denuder system. *Atmos. Environ. Part A* 27: 543-553.
- Lewis, C. W.; Dzubay, T. G. (1986) Measurement of light absorption extinction in Denver. *Aerosol Sci. Technol.* 5: 325-336.
- Lewis, C. W.; Macias, E. S. (1980) Composition of size-fractionated aerosol in Charleston, West Virginia. *Atmos. Environ.* 14: 185-194.
- Lewis, C. W.; Baumgardner, R. E.; Stevens, R. K.; Russwurm, G. M. (1986) Receptor modeling study of Denver winter haze. *Environ. Sci. Technol.* 20: 1126-1136.
- Li, Y.; Roth, H. D. (1995) Daily mortality analysis by using different regression models in Philadelphia County, 1973-1990. In: Phalen, R. F.; Bates, D. V., eds. *Proceedings of the colloquium on particulate air pollution and human mortality and morbidity; January 1994; Irvine, CA. Inhalation Toxicol.* 7: 45-58.
- Liang, C. S. K.; Waldman, J. M. (1992) Indoor exposures to acidic aerosols at child and elderly care facilities. *Indoor Air* 2: 196-207.
- Liousse, C.; Penner, J. E.; Chuang, C.; Walton, J. J.; Eddleman, H.; Cachier, H. (1996) A global three-dimensional model study of carbonaceous aerosols. *J. Geophys. Res. [Atmos.]* 101: in press.
- Lioy, P. J.; Samson, P. J.; Tanner, R. L.; Leaderer, B. P.; Minnich, T.; Lyons, W. (1980) The distribution and transport of sulfate "species" in the New York metropolitan area during the 1977 summer aerosol study. *Atmos. Environ.* 14: 1391-1407.
- Lioy, P. J.; Daisey, J. M.; Greenberg, A.; Harkov, R. (1985) A major wintertime (1983) pollution episode in northern New Jersey: analyses of the accumulation and spatial distribution of inhalable particulate matter, extractable organic matter and other species. *Atmos. Environ.* 19: 429-436.
- Lipfert, F. W.; Wyzga, R. E. (1993) On the spatial and temporal variability of aerosol acidity and sulfate concentration. *Air Waste* 43: 489-491.
- Liu, L.-J. S.; Burton, R.; Wilson, W. E.; Koutrakis, P. (1996) Comparison of aerosol acidity in urban and semi-rural environments. *Atmos. Environ.* 30: 1237-1245.
- Lundgren, D. A. (1967) An aerosol sampler for determination of particle concentration as a function of size and time. *J. Air Pollut. Control Assoc.* 17: 225-229.
- Macias, E. S.; Zwicker, J. O.; Ouimette, J. R.; Hering, S. V.; Friedlander, S. K.; Cahill, T. A.; Kuhlmeier, G. A.; Richards, L. W. (1981) Regional haze case studies in the southwestern U.S. - I. aerosol chemical composition. In: White, W. H.; Moore, D. J.; Lodge, J. P., Jr., eds. *Plumes and visibility: measurements and model components, proceedings of the symposium; November 1980; Grand Canyon National Park, AZ. Atmos. Environ.* 15: 1971-1986.

- Maenhaut, W.; Royset, O.; Vadset, M.; Kauppinen, E. I.; Lind, T. M. (1993) Analysis of size-fractionated coal combustion aerosols by PIXE and other analytical techniques. *Nucl. Instrum. Methods Phys. Res. Sect. B* 75: 266-272.
- Malm, W. C.; Gebhart, K. A.; Molenar, J.; Cahill, T.; Eldred, R.; Huffman, D. (1994a) Examining the relationship between atmospheric aerosols and light extinction at Mount Rainier and North Cascades National Parks. *Atmos. Environ.* 28: 347-360.
- Malm, W. C.; Sisler, J. F.; Huffman, D.; Eldred, R. A.; Cahill, T. A. (1994b) Spatial and seasonal trends in particle concentration and optical extinction in the United States. *J. Geophys. Res. [Atmos.]* 99: 1347-1370.
- Mangelson, N. F.; Rees, L. B.; Lewis, L.; Joseph, J. M.; Cui, W.; Machir, J.; Eatough, D. J.; Wilkerson, T. D.; Jensen, D. T. (1994) The formation of sulfate and nitrate during winter inversion fogs in Cache Valley, Utah. In: Proceedings of an international specialty conference on aerosol and atmospheric optics: radiative balance and visual air quality, volume A. Pittsburgh, PA: Air and Waste Management Association.
- Marple, V.; Rubow, K.; Ananth, G.; Fissan, H. J. (1986) Micro-orifice uniform deposit impactor. *J. Aerosol Sci.* 17: 489-494.
- Marple, V. A.; Rubow, K. L.; Behm, S. M. (1991) A microorifice uniform deposit impactor (MOUDI): description, calibration, and use. *Aerosol Sci. Technol.* 14: 434-446.
- Marshall, B. T.; Patterson, E. M.; Grams, G. W. (1986) Characterization of the Atlanta area aerosol, elemental composition and possible sources. *Atmos. Environ.* 20: 1291-1300.
- McMurtry, P. H.; Stolzenburg, M. R. (1989) On the sensitivity of particle size to relative humidity for Los Angeles aerosols. *Atmos. Environ.* 23: 497-507.
- McMurtry, P. H.; Zhang, X. Q. (1989) Size distributions of ambient organic and elemental carbon. *Aerosol Sci. Technol.* 10: 430-437.
- Mercer, T. T. (1964) The stage constants of cascade impactors. *Ann. Occup. Hyg.* 7: 115-124.
- Molenar, J. V.; Dietrich, D. L.; Cismoski, D. S.; Cahill, T. A.; Wakabayashi, P. H. (1994) In: Proceedings of an international specialty conference on aerosol and atmospheric optics: radiative balance and visual air quality, volume A. Pittsburgh, PA: Air & Waste Management Association.
- Moyers, J. L. (1982) 1981-1982 aerosol studies for nine southwest national parks and monuments. Washington, DC: U.S. Department of the Interior, National Park Service, Southwest Region.
- Mukerjee, S.; Fox, D. L.; Stevens, R. K.; Shy, C. M.; Vescio, N.; Lumpkin, T. A.; Kellogg, R. B. (1993) A methodology to apportion ambient air measurements to investigate potential effects on air quality near waste incinerators. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory; report no. EPA/600/A-93/104. Available from: NTIS, Springfield, VA; PB93-191393.
- Mylonas, D. T.; Allen, D. T.; Ehrman, S. H.; Pratsinis, S. E. (1991) The sources and size distributions of organonitrates in Los Angeles aerosol. *Atmos. Environ. Part A* 25: 2855-2861.
- Natusch, D. F. S.; Wallace, J. R. (1974) Urban aerosol toxicity: the influence of particle size. Particle size, adsorption, and respiratory deposition profiles combine to determine aerosol toxicity. *Science (Washington, DC)* 186: 695-699.
- Natusch, D. F. S.; Wallace, J. R.; Evans, C. A., Jr. (1974) Toxic trace elements: preferential concentration in respirable particles. *Science (Washington, DC)* 183: 202-204.

- Neas, L. M. (1996) [Data provided for 1986 from Harvard six cities data base.] Boston, MA: Harvard School of Public Health.
- Noll, K. E.; Pontius, A.; Frey, R.; Gould, M. (1985) Comparison of atmospheric coarse particles at an urban and non-urban site. *Atmos. Environ.* 19: 1931-1943.
- Noll, K. E.; Draftz, R.; Fang, K. Y. P. (1987) The composition of atmospheric coarse particles at an urban and non-urban site. *Atmos. Environ.* 21: 2717-2721.
- Noll, K. E.; Yuen, P.-F.; Fang, K. Y.-P. (1990) Atmospheric coarse particulate concentrations and dry deposition fluxes for ten metals in two urban environments. *Atmos. Environ. Part A* 24: 903-908.
- Patterson, R. K.; Wagman, J. (1977) Mass and composition of an urban aerosol as a function of particle size for several visibility levels. *J. Aerosol Sci.* 8: 269-279.
- Pickle, T.; Allen, D. T.; Pratsinis, S. E. (1990) The sources and size distributions of aliphatic and carbonyl carbon in Los Angeles aerosol. *Atmos. Environ. Part A* 24: 2221-2228.
- Pierson, W. R.; Brachaczek, W. W. (1988) Coarse- and fine-particle atmospheric nitrate and HNO₃(g) in Claremont, California, during the 1985 Nitrogen Species Methods Comparison Study. *Atmos. Environ.* 22: 1665-1668.
- Pierson, W. R.; Russell, P. A. (1979) Aerosol carbon in the Denver area in November 1973. *Atmos. Environ.* 13: 1623-1628.
- Pierson, W. R.; Brachaczek, W. W.; Korniski, T. J.; Truex, T. J.; Butler, J. W. (1980a) Artifact formation of sulfate, nitrate, and hydrogen ion on backup filters: Allegheny Mountain experiment. *J. Air Pollut. Control Assoc.* 30: 30-34.
- Pierson, W. R.; Brachaczek, W. W.; Truex, T. J.; Butler, J. W.; Korniski, T. J. (1980b) Ambient sulfate measurements on Allegheny Mountain and the question of atmospheric sulfate in the northeastern United States. *Ann. N. Y. Acad. Sci.* 338: 145-173.
- Pierson, W. R.; Brachaczek, W. W.; Gorse, R. A., Jr.; Japar, S. M.; Norbeck, J. M. (1986) On the acidity of dew. *J. Geophys. Res. [Atmos.]* 91: 4083-4096.
- Pierson, W. R.; Brachaczek, W. W.; Gorse, R. A., Jr.; Japar, S. M.; Norbeck, J. M.; Keeler, G. J. (1987) Acid rain and atmospheric chemistry at Allegheny Mountain. *Environ. Sci. Technol.* 21: 679-691.
- Pierson, W. R.; Brachaczek, W. W.; Gorse, R. A., Jr.; Japar, S. M.; Norbeck, J. M.; Keeler, G. J. (1989) Atmospheric acidity measurements on Allegheny Mountain and the origins of ambient acidity in the northeastern United States. *Atmos. Environ.* 23: 431-459.
- Pinto, J. P.; Pleasant, M.; Kellogg, R.; Torok, Sz.; Stiles, D.; Willis, R. D.; Koutrakis, P.; Allen, G. A. (1995) Chemical characterization of the ambient aerosol in Philadelphia. Presented at: Particulate matter: health and regulatory issues: an A&WMA international specialty conference; April; Pittsburgh, PA. Pittsburgh, PA: Air & Waste Management Association; submitted abstract.
- Placet, M.; Battye, R. E.; Fehsenfeld, F. C.; Bassett, G. W. (1991) Emissions involved in acidic deposition processes. In: Irving, P. M., ed. Acidic deposition: state of science and technology, volume 1: emissions, atmospheric processes, and deposition. Washington, DC: The U.S. National Acid Precipitation Assessment Program. (State of science and technology report no. 1).
- Poirot, R. L.; Flochini, R. G.; Husar, R. B. (1990) Winter fine particle composition in the northeast: preliminary results from the NESCAUM monitoring network. Presented at: 83rd annual meeting of the Air & Waste

Management Association; June; Pittsburgh, PA. Pittsburgh, PA: Air & Waste Management Association; paper no. 90-84.5.

Poirot, R. L.; Galvin, P. J.; Gordon, N.; Quan, S.; Van Arsdale, A.; Flocchini, R. G. (1991) Annual and seasonal fine particle composition in the northeast: second year results from the NESCAUM monitoring network. Presented at: 84th annual meeting and exhibition of the Air & Waste Management Association; June; Vancouver, BC, Canada. Pittsburgh, PA: Air & Waste Management Association; paper no. 91-49.1.

Pope, C. A., III; Schwartz, J.; Ransom, M. R. (1992) Daily mortality and PM₁₀ pollution in Utah valley. *Arch. Environ. Health* 47: 211-217.

Raabe, O. G.; Braaten, D. A.; Axelbaum, R. L.; Teague, S. V.; Cahill, T. A. (1988) Calibration studies of the drum impactor. *J. Aerosol Sci.* 19: 183-195.

Reid, J. S.; Cahill, T. A.; Wakabayashi, P. H.; Dunlap, M. R. (1994) Geometric/aerodynamic equivalent diameter ratios of ash aggregate aerosols collected in burning Kuwaiti well fields. *Atmos. Environ.* 28: 2227-2234.

Rodes, C. E.; Evans, E. G. (1985) Preliminary assessment of 10 μm particulate sampling at eight locations in the United States. *Atmos. Environ.* 19: 293-303.

Rogge, W. F.; Mazurek, M. A.; Hildemann, L. M.; Cass, G. R.; Simoneit, B. R. T. (1993) Quantification of urban organic aerosols at a molecular level: identification, abundance and seasonal variation. *Atmos. Environ. Part A* 27: 1309-1330.

Russell, A. G.; Cass, G. R. (1986) Verification of a mathematical model for aerosol nitrate and nitric acid formation and its use for control measure evaluation. *Atmos. Environ.* 20: 2011-2025.

Schichtel, B. A.; Husar, R. B. (1991) Apportionment of light extinction by aerosol types over the U.S. Hawscom Air Force Base, MA: Air Force Systems Command, Phillips Laboratory; scientific report no. 4.

Schwartz, J. (1994) Air pollution and hospital admissions for the elderly in Birmingham, Alabama. *Am. J. Epidemiol.* 139: 589-598.

Schwartz, J.; Dockery, D. W. (1992) Increased mortality in Philadelphia associated with daily air pollution concentrations. *Am. Rev. Respir. Dis.* 145: 600-604.

Seaton, A.; MacNee, W.; Donaldson, K.; Godden, D. (1995) Particulate air pollution and acute health effects. *Lancet* (8943): 176-178.

Seeker, W. R. (1990) Waste combustion. In: Proceedings of the 23rd international symposium on combustion; pp. 867-885.

Seinfeld, J. H. (1986) Atmospheric chemistry and physics of air pollution. New York, NY: John Wiley and Sons.

Senior, C. L.; Flagan, R. C. (1982) Ash vaporization and condensation during combustion of a suspended coal particle. *Aerosol Sci. Technol.* 1: 371-383.

Shah, J. J.; Watson, J. G., Jr.; Cooper, J. A.; Huntzicker, J. J. (1984) Aerosol chemical composition and light scattering in Portland, Oregon: the role of carbon. *Atmos. Environ.* 18: 235-240.

Shaw, R. W., Jr.; Paur, R. J. (1983) Composition of aerosol particles collected at rural sites in the Ohio River Valley. *Atmos. Environ.* 17: 2031-2044.

Sisler, J. F.; Malm, W. C. (1994) The relative importance of soluble aerosols to spatial and seasonal trends of impaired visibility in the United States. *Atmos. Environ.* 28: 851-862.

Sisler, J. F.; Huffman, D.; Lattimer, D. A.; Malm, W. C.; Pitchford, M. L. (1993) Spatial and temporal patterns and the chemical composition of the haze in the United States: an analysis of data from the IMPROVE network, 1988-1991. Fort Collins, CO: Colorado State University, Cooperative Institute for Research in the Atmosphere (CIRA).

Skidmore, L. W.; Chow, J. C.; Tucker, T. T. (1992) PM₁₀ air quality assessment for the Jefferson County, Ohio air quality control region. In: Chow, J. C.; Ono, D. M., eds. PM₁₀ standards and nontraditional particulate source controls, an A&WMA/EPA international specialty conference, v. II; January; Scottsdale, AZ. Pittsburgh, PA: Air and Waste Management Association; pp. 1016-1031. (A&WMA transactions series no. 22).

Sloane, C. S.; Watson, J.; Chow, J.; Pritchett, L.; Richards, L. W. (1991) Size-segregated fine particle measurements by chemical species and their impact on visibility impairment in Denver. *Atmos. Environ. Part A* 25: 1013-1024.

Small, M.; Germani, M. S.; Small, A. M.; Zoller, W. H.; Moyers, J. L. (1981) Airborne plume study of emissions from the processing of copper ores in southeastern Arizona. *Environ. Sci. Technol.* 15: 293-299.

Solomon, P. A.; Moyers, J. L. (1986) A chemical characterization of wintertime haze in Phoenix, Arizona. *Atmos. Environ.* 20: 207-213.

Solomon, P. A.; Fall, T.; Salmon, L.; Cass, G. R.; Gray, H. A.; Davidson, A. (1989) Chemical characteristics of PM₁₀ aerosols collected in the Los Angeles area. *JAPCA* 39: 154-163.

Spengler, J. D.; Thurston, G. D. (1983) Mass and elemental composition of fine and coarse particles in six U.S. cities. *J. Air Pollut. Control Assoc.* 33: 1162-1171.

Spengler, J. D.; Allen, G. A.; Foster, S.; Severance, P.; Ferris, B., Jr. (1986a) Sulfuric acid and sulfate aerosol events in two U. S. cities. In: Lee, S. D.; Schneider, T.; Grant, L. D.; Verkerk, P. J., eds. *Aerosols: research, risk assessment and control strategies - proceedings of the second U.S.-Dutch international symposium*; May 1985; Williamsburg, VA. Chelsea, MI: Lewis Publishers, Inc.; pp. 107-120.

Spengler, J. D.; Briggs, S. L. K.; Özkaynak, H. (1986b) Relationship between TSP measurements and size-fractionated particle mass measurements in six cities participating in the Harvard Air Pollution Health Study. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards; EPA cooperative agreement no. CR-812667-01-0; December 5.

Spengler, J. D.; Brauer, M.; Koutrakis, P. (1990) Acid air and health. *Environ. Sci. Technol.* 24: 946-956.

Stevens, R. K. (1985) Sampling and analysis methods for use in source apportionment studies to determine impact of wood burning on fine particle mass. *Environ. Int.* 11: 271-283.

Stevens, R. K. (1995) [Unpublished data].

Stevens, R. K.; Dzubay, T. G.; Shaw, R. W., Jr.; McClenney, W. A.; Lewis, C. W.; Wilson, W. E. (1980) Characterization of the aerosol in the Great Smoky Mountains. *Environ. Sci. Technol.* 14: 1491-1498.

Stevens, R. K.; Dzubay, T. G.; Lewis, C. W.; Shaw, R. W., Jr. (1984) Source apportionment methods applied to the determination of the origin of ambient aerosols that affect visibility in forested areas. *Atmos. Environ.* 18: 261-272.

Stevens, R. K.; Hoffman, A. J.; Baugh, J. D.; Lewis, C. W.; Zweidinger, R. B.; Cupitt, L. T.; Kellogg, R. B.; Simonson, J. H. (1993) A comparison of air quality measurements in Roanoke, VA, and other integrated air cancer project monitoring locations. In: *Measurement of toxic and related air pollutants: proceedings of the 1993 U.S. EPA/A&WMA international symposium*; May; Durham, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 185-189. (A&WMA specialty conference VIP-34).

- Suh, H. H.; Spengler, J. D.; Koutrakis, P. (1992) Personal exposures to acid aerosols and ammonia. *Environ. Sci. Technol.* 26: 2507-2517.
- Suh, H. H.; Koutrakis, P.; Spengler, J. D. (1993) Validation of personal exposure models for sulfate and aerosol strong acidity. *J. Air Waste Manage. Assoc.* 43: 845-850.
- Suh, H. H.; Koutrakis, P.; Spengler, J. D. (1994) The relationship between airborne acidity and ammonia in indoor environments. *J. Exposure Anal. Environ. Epidemiol.* 4: 1-23.
- Suh, H. H.; Allen, G. A.; Koutrakis, P.; Burton, R. M. (1995) Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia. *J. Air Waste Manage. Assoc.* 45: 442-452.
- Thanukos, L. C.; Miller, T.; Mathai, C. V.; Reinholt, D.; Bennett, J. (1992) Intercomparison of PM₁₀ samplers and source apportionment of ambient PM₁₀ concentrations at Rillito, Arizona. In: Chow, J. C.; Ono, D. M., eds. PM₁₀ standards and nontraditional particulate source controls, an A&WMA/EPA international specialty conference, v. I; January; Scottsdale, AZ. Pittsburgh, PA: Air & Waste Management Association; pp. 244-261. (A&WMA transactions series no. 22).
- Thompson, K. M.; Koutrakis, P.; Brauer, M.; Spengler, J. D.; Wilson, W. E.; Burton, R. M. (1991) Measurements of aerosol acidity: sampling frequency, seasonal variability, and spatial variation. Presented at: 84th annual meeting and exhibition of the Air & Waste Management Association; June; Vancouver, BC, Canada. Pittsburgh, PA: Air & Waste Management Association; paper no. 91-89.5.
- Thurston, G. D.; Gorczynski, J. E., Jr.; Jaques, P.; Currie, J.; He, D. (1992) An automated sequential sampling system for particulate acid aerosols: description, characterization, and field sampling results. *J. Exposure Anal. Environ. Epidemiol.* 2: 415-428.
- Trijonis, J. (1982) Existing and natural background levels of visibility and fine particles in the rural East. *Atmos. Environ.* 16: 2431-2445.

Trijonis, J. C. (1991) Visibility: existing and historical conditions--causes and effects. Appendix A: characterization of natural background aerosol concentrations. In: Irving, P. M., ed. Acidic deposition: state of science and technology, volume III: terrestrial, materials, health and visibility effects. Washington, DC: The U.S. National Acid Precipitation Assessment Program; pp. 24-A1 - 24-A7. (State of science and technology report no. 24).

Trijonis, J.; McGown, M.; Pitchford, M.; Blumenthal, D.; Roberts, P.; White, W.; Macias, E.; Weiss, R.; Waggoner, A.; Watson, J.; Chow, J.; Flocchini, R. (1988) Visibility conditions and causes of visibility degradation in the Mojave Desert of California: executive summary, RESOLVE project final report. China Lake, CA: Department of the Navy, Naval Weapons Center; document no. NWC TP 6869. Available from: NTIS, Springfield, VA; AD-A206 322.

Tuncel, S. G.; Olmez, I.; Parrington, J. R.; Gordon, G. E.; Stevens, R. K. (1985) Composition of fine particle regional sulfate component in Shenandoah Valley. Environ. Sci. Technol. 19: 529-537.

Turpin, B. J.; Huntzicker, J. J. (1991) Secondary formation of organic aerosol in the Los Angeles basin: a descriptive analysis of organic and elemental carbon concentrations. Atmos. Environ. Part A 25: 207-215.

Turpin, B. J.; Cary, R. A.; Huntzicker, J. J. (1990) An in situ, time-resolved analyzer for aerosol organic and elemental carbon. Aerosol Sci. Technol. 12: 161-171.

Turpin, B. J.; Huntzicker, J. J.; Larson, S. M.; Cass, G. R. (1991) Los Angeles summer midday particulate carbon: primary and secondary aerosol. Environ. Sci. Technol. 25: 1788-1793.

U.S. Environmental Protection Agency. (1989) An acid aerosols issue paper: health effects and aerometrics. Research Triangle Park, NC: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office; EPA report no. EPA-600/8-88-005F. Available from: NTIS, Springfield, VA; PB91-125864.

Van Grieken, R. E.; Johansson, T. B.; Winchester, J. W.; Odom, L. A. (1975) Micro-determination of zirconium-hafnium ratios in zircons by proton induced X-ray emission. Z. Anal. Chem. 275: 343-348.

Vermette, S. J.; Williams, A. L.; Landsberger, S. (1992) PM₁₀ source apportionment using local surface dust profiles: examples from Chicago. In: Chow, J. C.; Ono, D. M., eds. PM₁₀ standards and nontraditional particulate source controls, an A&WMA/EPA international specialty conference, v. I; January; Scottsdale, AZ. Pittsburgh, PA: Air & Waste Management Association; pp. 262-278. (A&WMA transactions series no. 22).

Vossler, T. L.; Lewis, C. W.; Stevens, R. K.; Dzubay, T. G.; Gordon, G. E.; Tuncel, S. G.; Russwurm, G. M.; Keeler, G. J. (1989) Composition and origin of summertime air pollutants at Deep Creek Lake, Maryland. Atmos. Environ. 23: 1535-1547.

Waldman, J. M.; Lioy, P. J.; Thurston, G. D.; Lippmann, M. (1990) Spatial and temporal patterns in summertime sulfate aerosol acidity and neutralization within a metropolitan area. Atmos. Environ. Part B 24: 115-126.

Waldman, J. M.; Liang, S.-K. C.; Lioy, P. J.; Thurston, G. D.; Lippmann, M. (1991) Measurements of sulfate aerosol and its acidity in the SO₂ source region of Chestnut Ridge, PA. Atmos. Environ. Part A 25: 1327-1333.

- Waldman, J. M.; Koutrakis, P.; Allen, G. A.; Thurston, G. D.; Burton, R. M.; Wilson, W. E. (1995) Human exposures to particle strong acidity. In: Phalen, R. F.; Bates, D. V., eds. Proceedings of the colloquium on particulate air pollution and human mortality and morbidity, part II; January 1994; Irvine, CA. Inhalation Toxicol. 7: 657-669.
- Wall, S. M.; John, W.; Ondo, J. L. (1988) Measurement of aerosol size distributions for nitrate and major ionic species. *Atmos. Environ.* 22: 1649-1656.
- Wang, H.-C.; John, W. (1988) Characteristics of the Berner impactor for sampling inorganic ions. *Aerosol Sci. Technol.* 8: 157-172.
- Watson, J. G.; Chow, J. C.; Richards, L. W.; Neff, W. D.; Andersen, S. R.; Dietrich, D. L.; Houck, J. E.; Olnez, I. (1988) The 1987-88 metro Denver brown cloud study: v. I, II, III. Reno, NV: Desert Research Institute; final report no. 8810.1F(1-3).
- Watson, J. G.; Chow, J. C.; Lu, Z.; Fujita, E. M.; Lowenthal, D. H.; Lawson, D. R.; Ashbaugh, L. L. (1994a) Chemical mass balance source apportionment of PM₁₀ during the Southern California Air Quality Study. *Aerosol Sci. Technol.* 21: 1-36.
- Watson, J. G.; Roth, P. M.; Blumenthal, D. L.; Ranzieri, A. J.; Solomon, P. A.; Thuillier, R. H. (1994b) Recommendations on planning a large-scale combined monitoring and modeling effort based on the SJVAQS/AUSPEX air quality study. In: Solomon, P. A.; Silver, T. A., eds. Planning and managing regional air quality modeling and measurement studies: a perspective through the San Joaquin Valley air quality study and AUSPEX. Boca Raton, FL: Lewis Publishers; pp. 369-382.
- Weber, R. J.; McMurry, P. H.; Eisele, F. L.; Tanner, D. J. (1995) Measurement of expected nucleation precursor species and 5 to 500 nm diameter particles at Mauna Loa, Hawaii. *J. Atmos. Sci.* 52: 2242-2257.
- Weiss, R. E.; Larson, T. V.; Waggoner, A. P. (1982) In situ rapid-response measurement of H₂SO₄/(NH₄)₂SO₄ aerosols in rural Virginia. *Environ. Sci. Technol.* 16: 525-532.
- Wesolowski, J. J.; John, W.; Devor, W.; Cahill, T. A.; Feeney, P. J.; Wolfe, G.; Flochini, R. (1977) Collection surfaces of cascade impactors. In: Dzubay, T. G., ed. X-ray fluorescence analysis of environmental samples. Ann Arbor, MI: Ann Arbor Science Publishers, Inc.; pp. 121-131.
- Whitby, K. T. (1978) The physical characteristics of sulfur aerosols. *Atmos. Environ.* 12: 135-159.
- Whitby, K. T.; Sverdrup, G. M. (1980) California aerosols: their physical and chemical characteristics. In: Hidy, G. M.; Mueller, P. K.; Grosjean, D.; Appel, B. R.; Wesolowski, J. J., eds. The character and origins of smog aerosols: a digest of results from the California Aerosol Characterization Experiment (ACHEX). New York, NY: John Wiley & Sons, Inc.; pp. 477-517. (Advances in environmental science and technology: v. 9).
- Whitby, K. T.; Husar, R. B.; Liu, B. Y. H. (1972) The aerosol size distribution of Los Angeles smog. *J. Colloid Interface Sci.* 39: 177-204.
- White, W. H. (1996a) Alternative perspectives on a trend in eastern fine-particle sulfur concentrations. *Environ. Manager.* in press.
- White, W. H. (1996b) Deteriorating air or improving measurements?—on interpreting concatenate time series. *J. Geophys. Res. [Atmos.]*: submitted.
- White, W. H.; Macias, E. S. (1987) Particulate nitrate measurements in rural areas of the western United States. *Atmos. Environ.* 21: 2563-2571.

- White, W. H.; Macias, E. S. (1989) Carbonaceous particles and regional haze in the western United States. *Aerosol Sci. Technol.* 10: 111-117.
- Willeke, K.; Whitby, K. T. (1975) Atmosperic aerosols: size distribution interpretation. *J. Air Pollut. Control Assoc.* 25: 529-534.
- Wilson, W. E.; Stockburger, L. (1990) Diurnal variations in aerosol composition and concentration. In: Masuda, S.; Takahashi, K., eds. *Aerosols: science, industry, health and environment: proceedings of the third international aerosol conference*, v. 2; September; Kyoto, Japan. Oxford, United Kingdom: Pergamon Press plc; pp. 962-965.
- Wilson, W. E.; Suh, H. H. (1996) Fine and coarse particles: concentration relationships relevant to epidemiological studies. *J. Air Waste Manage. Assoc.*: accepted.
- Wilson, W. E.; Koutrakis, P.; Spengler, J. D. (1991) Diurnal variations of aerosol acidity, sulfate, and ammonia in the atmosphere. Presented at: 84th annual meeting and exhibition of the Air & Waste Management Association; June; Vancouver, BC, Canada. Pittsburgh, PA: Air & Waste Management Association; paper no. 91-89.9.
- Wolff, G. T.; Korsog, P. E. (1985) Estimates of the contributions of sources to inhalable particulate concentrations in Detroit. *Atmos. Environ.* 19: 1399-1409.
- Wolff, G. T.; Monson, P. R.; Ferman, M. A. (1979) On the nature of the diurnal variation of sulfates at rural sites in the Eastern United States. *Environ. Sci. Technol.* 13: 1271-1276.
- Wolff, G. T.; Countess, R. J.; Groblicki, P. J.; Ferman, M. A.; Cadle, S. H.; Muhlbaier, J. L. (1981) Visibility-reducing species in the Denver "brown cloud"--II. sources and temporal patterns. *Atmos. Environ.* 15: 2485-2502.
- Wolff, G. T.; Ferman, M. A.; Kelly, N. A.; Stroup, D. P.; Ruthkosky, M. S. (1982) The relationships between the chemical composition of fine particles and visibility in the Detroit metropolitan area. *J. Air Pollut. Control Assoc.* 32: 1216-1220.
- Wolff, G. T.; Kelly, N. A.; Ferman, M. A.; Morrissey, M. L. (1983) Rural measurements of the chemical composition of airborne particles in the eastern United States. *J. Geophys. Res. C: Oceans Atmos.* 88: 10,769-10,775.
- Wolff, G. T.; Korsog, P. E.; Stroup, D. P.; Ruthkosky, M. S.; Morrissey, M. L. (1985) The influence of local and regional sources on the concentration of inhalable particulate matter in southeastern Michigan. *Atmos. Environ.* 19: 305-313.
- Wolff, G. T.; Ruthkosky, M. S.; Stroup, D. P.; Korsog, P. E.; Ferman, M. A.; Wendel, G. J.; Stedman, D. H. (1986) Measurements of SO_x , NO_x and aerosol species on Bermuda. *Atmos. Environ.* 20: 1229-1239.
- Wolff, G. T.; Ruthkosky, M. S.; Stroup, D. P.; Korsog, P. E. (1991) A characterization of the principal PM-10 species in Claremont (summer) and Long Beach (fall) during SCAQS. *Atmos. Environ. Part A* 25: 2173-2186.
- Wyzga, R. E.; Lipfert, F. W. (1996) [Philadelphia TSP data.] Palo Alto, CA: Electric Power Research Institute.
- Zhang, X.; Turpin, B. J.; McMurry, P. J.; Herring, S. V.; Stolzenburg, M. R. (1994) Mie theory evaluation of species contributions to the 1990 wintertime visibility reduction in the Grand Canyon. *J. Air Waste Manage. Assoc.* 44: 153-162.